

Insect identification sheet

To enable you to identify the insect you have in your home, we have provided some identification sheets.

These depict the most common pest species that you are likely to find.

If you are able to identify the pest and require more information please have a look at the information documents we have put on our website.

If you want to book an appointment, contact us using the information at the top of this page having your payment method ready.

If you are still unsure of the pest type we can offer further advice or discuss whether a sample could be brought to us to be identified.


For further information you may like to try one of the web links on the main Pest control web page.


Please note that all the insects that we provide a treatment service for are chargeable. Individual costs can be found on the relevant pests page.

Please keep this document for future reference.

SPECIES	PICTURE	DESCRIPTION	WHAT WE OFFER
German cockroach		12-15mm (Adult Stage)Mid to dark brown body. Lighter area with 2 dark bars behind head. Wings. Very long antennae. Young are smaller versions of the adult, but lighter in colour, darkening with age.	Treatment & Advice
Cockroach egg case and nymphs		Young cockroaches hatch from egg cases, which are 6-12mm long. The young or nymphs are miniature versions of the adult. Starting white but soon looking taking the same colour as the adults.	Treatment & Advice
Oriental cockroach		17-30mm (Adult Stage) Dark brown to black. Shiny and very flattened. Wings long on male, short on female. Very long antennae. Young are smaller versions of the adult, but lighter in colour, darkening with age.	Treatment & Advice
Pharaohs ant		Up to 2mm. Yellow/brown in colour, almost translucent. Noticeable black eyes with darker head & abdomen.	Treatment & Advice

Ghost ant		Size: Tiny, usually less than 1mm in length. Colour: Pale, with a dark head and abdomen. These ants are very difficult to see unless one looks closely.	Treatment & Advice
Garden ant		4mm long. Usually shiny black but can also be bright red.	Treatment & Advice
Bed bug		Adults, 5mm long. Reddish/brown in colour and very flattened when not fed. Dark brown/purple and bloated after feeding. Young are small versions of adult but opaque. Will bite to feed = blood	Treatment & Advice
Flea		2-3mm long. Adult are dark brown/black in colour. Long muscular rear legs for jumping. Will bite to feed = blood	Treatment & Advice
Dermestes beetle larvae		Generally the same size as an adult beetle. Cream/yellow in colour. Gives the illusion of being many legged as covered with ting bristles.	Treatment & Advice
Variiegated carpet beetle		Adults 2-4mm long. Brown/black mottled with yellow & white. Rounded appearance with short legs.	Treatment & Advice
Biscuit beetle		2-3mm. Mid-dark matt brown body. Fine ridges to body. Head "tucked in" giving hump backed appearance.	Treatment & Advice
Woodworm beetle		2-3 mm. Very similar to Biscuit beetle. Evidence is the sign of small burrows into wood or other similar material.	Treatment & Advice
Larder beetle		7-9mm. Black with circle of silvery/white spots to mid section. Uneven silver/white band across top of rear section with black spots	Treatment & Advice
Fur beetle		4-5mm. Black with two prominent white spots on back. Two lesser spots on each side, one to back of mid section.	Treatment & Advice
Flour beetle		3-4mm. Mahogany brown. Ridged rear section.	Treatment & Advice

Mealworm beetle and larvae		15mm. Slightly shiny black or very dark brown. Smooth mid section and ridged rear. Larvae are the same length as the adult but thin and slender. Yellowish in colour.	Treatment & Advice
Grain weevil		3-4mm. Dark brown almost black. Extended "snout". Dimpled mid-section with ridged rear section.	Treatment & Advice
Wasp		10-20mm long. Distinctive yellow & black banded abdomen sometimes with black spots. Smooth & shiny with a typical 'wasp waist'. Two pairs of wings attached to body. Will Sting	Treatment & Advice
Bumble bee		20-30mm long. Black with various coloured bands ranging from dull yellow to orange. Often tip of abdomen brightly coloured. Very hairy/furry with rounded appearance. Can Sting	Advice Only
Honey bee		Approx 13mm. Finely banded orange & brown abdomen with darker rear. Hairy dull bodies. Brown hairy legs often with full pollen sacs. Can Sting	Advice Only
Mortar/ Ground Bee		These bees burrow into soft mortar between brickwork or into sandy soil. They do not live in family groups and are unlikely to sting unless provoked.	Advice Only
Blow fly or blue bottle		11mm long and 25mm wingspan. Bristly body – dull metallic blue/green.	Advice Only
House fly & larvae		6-8 mm long with 14mm wingspan. Blackish stripes on mid-section. Grey/black slightly chequered rear end.	Advice Only

Sewer fly		6mm wingspan. Brownish in colour. Hairy body and distinctive fringes to wings. Noticeably large antennae.	Advice Only
Fruit fly		2mm long and 3-4mm wingspan. Greyish yellow fat bulbous body, stripped rear half.	Advice Only
Tick		3-8mm long. Bulbous sac like bodies especially after a blood feed. Claw like legs for attaching to prey.	Advice Only
Red spider mite		1.3mm. Very vivid red. Teardrop shaped body, pointed head.	Advice Only
Poultry mite		0.7mm. Colour varies from pale buff to rich red to dark/almost black. Eight legs with two noticeable mouth parts to front.	Advice Only
Clover mite		1-1.5mm. Blood red colour. Eight legs. Oval in shape.	Advice Only
Flour mite		0.5mm. 8 legs which are pinkish brown. Body- pearly white two long feelers to rear end.	Advice Only
Mosquito		6-9mm long with a large wingspan. The adults need water to lay their eggs. Will bite for a blood feed.	Advice only
Psocids		1-1.5mm. Greyish colour, soft bodied, also known as "Book lice"	Advice only
Moths		House Moth – 8mm in length. Shiny gold flecked with dark brown. Wings folded over body when resting. Mill Moth – 22mm wingspan. Grey forewings & whitish rear wings giving silvery appearance. Indian Meal Moth – 12.5mm wingspan. Top of wings are creamy & bottom reddish brown.	Treatment and advice
Moth larvae		Most moth larvae are generally creamy/ yellow with dark head	Treatment & Advice

Earwig		12-20mm. Light to dark brown. Flattened elongated body. Pair of pincers to the rear. Segmented back end.	Advice Only
Silverfish		Up to 20mm. Silver scales. Marked narrowing of body from head to tail, 3 pronounced bristles sticking out of rear.	Advice Only
Woodlice		About 15mm. Slate grey, oval flattened bodies with segmented back. Can roll into a ball when disturbed. Also known as a pill bug.	Advice Only
Stag beetle		50-80mm. Dark Brown to Black. Shiny hard body. Large pincers or antlers on males, smaller on females. Will fly.	Advice Only
Ladybird		3-7mm. Usually bright red with 2-10 black spots (although numbers can vary), also can be black with a varying number of black spots. Oval in shape.	Advice Only
Crickets		16mm long. Larger than the common grasshopper. Has large rear legs and long antennae but not to be confused with a cockroach.	Advice Only